# GoControl®

SMART DOORBELL CAMERA—SMARTER, HARDWIRED DESIGN FOR THE PROFESSIONAL INSTALLER!

The Power of a Video Intercom and the Mobility of a Smartphone

Please visit nortekcontrol.com/gocontrol, or contact your local Sales Manager.

With the GoControl Smart Doorbell Camera, you can see who is there, and answer your door on your smartphone app. Easy sale for professional installers.

Precisely Engineered for Exceptional Performance.

Sealed weather-proof design, fisheye camera lens, longer Wi-Fi range, optimized video record rate, and leading-edge infrared illuminators provide an enormous amount of video streaming power. Our Doorbell Camera is hard-wired, which makes it highly durable and low maintenance, an advantage that most other doorbell cameras cannot claim.

Powerful App Included.

Every GoControl Smart Doorbell Camera comes with a smartphone app, available for multiple users and devices. With our Doorbell Camera and the app, you'll never worry about receiving important packages when you're not at home. Answer the door remotely and instruct the delivery person on your app. View your activity log for added monitoring and security, and never miss an alert or an event.

Audio and Visual.

Night Vision Infrared capabilities allow you to see who is at your door, even in darkness. With advanced motion detection capabilities, the GoControl Smart Doorbell Camera can alert you to the presence of visitors before they even ring the doorbell. Our Doorbell Camera has crystal clear VoIP audio and a sound chamber, maximizing the quality of every decibel.

Designed to Last the Life of Your System

Longer life, high performance in both hot and cold climates and professional install differentiates GoControl Smart Doorbell Camera from other doorbell camera brands. Using a tester minimizes troubleshooting and installation time to less than 10 minutes.

## GoControl makes your house a smart home.

| SEE | TALK | CONTROL | PEACE OF MIND |

SMART DOORBELL CAMERA SPECIFICATIONS & TECHNOLOGY

Rounded top & corners

720 p Camera,
180 Degree Lens

Microphone

Multi-color status LEDs

Speaker with "Sound
Chamber" for clear audio

PIR motion sensor

IR Illuminator LEDs (x4)
for night vision

Side-lit push button

User installable
faceplate

Customize with your
brand and logo.

GoControl

NOTE:
Image shown at actual size –
5.5" H X 2.5" W X 1.4" D

System Diagram

Transformer

Smart Doorbell
Camera

Door Chime

Internet

Mobile App

Router

SMART DOORBELL CAMERA SPECIFICATIONS & TECHNOLOGY

Features

- Hermetically sealed and IP65 weather-proof
- See who is at the door with "My Doorbell" app
- Multiple users and devices can receive alerts
- Two-way conversation on your smartphone app
- Motion detection alerts
- Night vision, see in near total darkness
- Record snapshots and video to phone
- Multitude of faceplate colors
- Activity log of events/alerts
- No monthly fees
- Hardwired installation
- White-label, add your logo

Specifications

Lens	Fixed focal length, 6" to infinity
Horizontal Field of View (FoV)	180 degrees, fisheye
Max. Video Resolution	720 p
Video Record Rate	up to 30 FPS
Wi-Fi Compatibility	802.11n (compatible with popular WiFi Routers)
Audio	Two-way, built in speaker and microphone, active noise cancellation & echo reduction
Night Vision Capability	IR, up to 15 FT, auto on and off based on environmental light conditions
Motion Sensing	PIR sensor & video motion detection
Doorbell Button	Continuously illuminated
Snapshot Capture	Enabled via the smartphone app
Water Resistant	IP65 (Dust and water resistant)
Network Security	Supports video & audio encryption and network security protocols
Finish Colors	Brass, Bronze, Satin Nickel, Charcoal, White
Mounting Hardware Included	Includes anchors & screws. Mounts to wood, stucco, brick, & masonry
Anti-theft	Special security screw to prevent theft
Power	15 to 20 VAC required. (Standard doorbell transformer)
Wide Operating Temperature Range	-30° C to 50° C (-22° F to 122° F)
Regulatory & Industry Standards	FCC, RoHS, IP65
Doorbell Size	2.5"W x 5.5"H x 1.4"D

Accessories

GC-DBC-C1	GoControl Wired Door Chime, White
GC-DBC-C2	GoControl WiFi Door Chime, White
GC-DBC-PS1 GC-DBC-PS2	Plug-in Power Supply Transformer 16VAC, 30VA
GC-DBC-FP	GoControl Doorbell Camera Faceplate Pak: Bronze, Brass, White, Charcoal

Models

GC-DBC-1	GoControl Doorbell Camera, WiFi Model

Colors

- Brass
- Bronze
- Charcoal
- White

NORTEK ™
SECURITY & CONTROL

10011133A X2

BSE **BORDER STATES**
Supply Chain Solutions ™