

2015
CATALOG

Utility **SAFETY** solutions



Table of

CONTENTS

Head protection	3
Hand protection	3
Eye protection.....	5
Work clothing.....	5
Foot protection.....	9
Lighting	10
Back protection.....	10
Signs and cones.....	10
Cleaners.....	11

Stay

COMPLIANT

PLAN AHEAD FOR YOUR COLD WEATHER FR GEAR

Make sure you are prepared to stay compliant this winter with our full line of cold weather flame-resistant (FR) personal protective equipment (PPE) and safety gear. The correct protection can save your life in extreme weather, and job site, conditions.

OSHA recently increased its regulations for protective wear on the job site and now is the time to make sure you are outfitted from head-to-toe with the FR-rated clothing and supplies. Look no further for the essential selection of winter gear and safety products to keep you and your workplace safe, clean and efficient.

MANAGING YOUR CREW'S FR NEEDS

Keeping track of your crew's FR and PPE clothing requirements can be tricky. Let Border States Electric help you organize and track FR and PPE purchases with its new online service, [Employee Allowance](#). The program allows your crew to [buy online](#) and helps you stay compliant. Ask your Border States rep about the service today!

STORM RESPONSE

Border States can help you with your storm response needs no matter the season. Our network of branches throughout the United States are equipped to deliver emergency response supplies to businesses that need to restore power in their communities. Simply dial our 24-hour emergency response line at (800) 800.0199 to access our storm response team.

HEAD protection

N-Ferno® Balaclava

Ergodyne

Stretch fleece keeps head and neck comfortable.

- » Reflective accent for higher visibility
- » Polyester fleece material
- » Single wash flame-resistant treated



Mfr. Model #	Color	Size	BSE Part #
6821	Black	One size fits all—long length	1593203

FR Knit Balaclava

Bulwark

Soft and comfortable with finished edges throughout.

- » Double-layer, extra-long neck skirt
- » Flame-resistant, 8.4 oz. Nomex® Knit
- » ATPV 26.0 cal/cm²
- » HRC 3



Mfr. Model #	Color	Size	BSE Part #
HNB2NA-RG-M	Natural	Medium	2397127

FR Double-Layer Work-Dry Balaclava

Carhartt

Made of heavyweight, two-ply 5.5-ounce knit: 48% modacrylic, 48% Tencel® and 4% spandex.

- » Features Work-Dry® moisture-wicking and fast-drying technology with anti-odor control
- » Face mask pulls down below the chin when not needed
- » Meets NFPA 70E standards
- » ATPV 15 Cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
FRA003DNY	Dark navy	One size fits all	2693363

FR Knit Cap

Bulwark

- » Double layers; 100% modacrylic knit
- » Fit to wear under hard hat
- » 28.3 Cal/cm²
- » HRC 3



Mfr. Model #	Color	BSE Part #
HMC2BK-RG-M	Black	2868580

NOTES

HAND protection

Waterproof Winter Gloves Lined with Kevlar®

Youngstown Glove

Offers great protection from winter weather without sacrificing dexterity or comfort.

- » Cut resistant Kevlar® throughout entire glove
- » Insulating micro-fleece lining for insulation
- » Palm exceeds a Cut Performance Level 3 Rating according to ANSI/ISEA 105-2005
- » Water and windproof



Mfr. Model #	Size	BSE Part #
08-3085-80-S	Small	3140860
08-3085-80-M	Medium	3140861
08-3085-80-L	Large	3140862
08-3085-80-XL	XL	3140863
08-3085-80-XXL	2XL	3140864

High Visibility Gloves Safety Lime Lined with Kevlar®

Youngstown Glove

Designed for durability, dexterity and protection in applications where visibility is a must.

- » Cut resistant Kevlar®; non-slip reinforcement on the palm, fingers and thumb
- » Palm exceeds a Cut Performance Level 3 Rating according to ANSI/ISEA 105-2005
- » Reflective 3M Scotchlite™ on knuckle and wrist



Mfr. Model #	Size	BSE Part #
08-3083-10-S	Small	3140855
08-3083-10-M	Medium	3140856
08-3083-10-L	Large	3140857
08-3083-10-XL	XL	3140858
08-3083-10-XXL	2XL	3140859

FR Waterproof Ultimate Leather Lined with Kevlar® Gloves

Youngstown Glove

- » ANSI Cut Level 2
- » Compliant to NFPA 70e - 2015 Std / OSHA 29 CFR Part 1926
- » Exceeds ASTM D6413 and F2302
- » 55 Cal/cm² - ASTM F2675/F2675M-13



Mfr. Model #	Size	BSE Part #
12-3290-60-S	Small	2867453
12-3290-60-M	Medium	2867454
12-3290-60-L	Large	2867455
12-3290-60-XL	XL	2867456
12-3290-60-XXL	2XL	2867457

FR Waterproof Leather Lined with Kevlar® Gloves

Youngstown Glove

- » 4" Safety cuff for wrist protection
- » ANSI Cut Level 2
- » Compliant to NFPA 70e - 2015 Std / OSHA 29 CFR Part 1926
- » Exceeds ASTM F2302 and D6413 Standard
- » 50 Cal/cm² - ASTM F2675/F2675M-13



Mfr. Model #	Size	BSE Part #
11-3285-60-S	Small	2867448
11-3285-60-M	Medium	2867449
11-3285-60-L	Large	2867450
11-3285-60-XL	XL	2867451
11-3285-60-XXL	2XL	2867452

Insulating Rubber Gloves and Sleeves

Salisbury

Type I and Type II gloves are extremely flexible to make working with small parts easy. The gloves meet or exceed ASTM D120 and IEC EN60903 standards.

- » Available in sizes 7 through 12, including half sizes on 8, 9 and 10
- » Measure circumference around the palm to determine the size of the glove



SALISBURY

by Honeywell

Class	Length	Max. Use Voltage	Color	Size	BSE Part #
E 00	11 or 14	500 / 750	R, B, BL, or BLO	7	Specify size
E 0	11 or 14	1,000 / 1,500	Y, R, B, BL, BLO or BY	8, 8H, 9, 9H	Specify size
E 1	11 or 14	7,500 / 11,250	B, YB or RB	10, 10H	Specify size
E 2	11 or 14	17,000 / 25,500	B, YB or RB	11	Specify size
E 3	11 or 14	26,500 / 39,750	B, YB or RB	12	Specify size
E 4	11 or 14	36,000 / 54,000	B, YB or RB		Specify size

Glove types and colors

Type I Natural Rubber		Type II SALCOR® Rubber
R=red	BY=black in, yellow out	BL=blue
B=black	YB=yellow inside, black out	BLO=blue in, orange out
Y=yellow	RB=red inside, black out	

NOTES

EYE protection

I-Force Safety Glasses

Pyramex

Sporty, lightweight design eliminates the bulkiness and weight of a goggle.

- » Dual pane lens
- » Provides 99% protection from harmful UV-A and UV-B rays
- » Quick release interchangeable temples and an elastic strap
- » Exceeds ANSI/ISEA Z87.1
- » Meets CAN/CSA Z94.3-07 Standards
- » Meets MCEP GL-PD 10-12 Ballistic Standards



Mfr. Model #	Lens Color	Frame Color	Lens Coating	BSE Part #
SB7010SDT	Clear	Black	Anti-fog	2784032
SB7020SDT	Gray	Black	Anti-fog	3078902
SB7030SDT	Amber	Black	Anti-fog	3078903
SB7070SDT	Silver mirror	Black	Anti-fog	2796490
SB7080SDT	Indoor/outdoor mirror	Black	Anti-fog	2862295
SB70STRAP		Replacement strap		3174922

Ztek® Safety Glasses

Pyramex

Economical, wraparound single lens provides full panoramic view.

- » 99% protection against UV rays
- » Integrated nosepiece
- » Lens coated for superior scratch resistance
- » Meet ANSI Z87.1-2003 High Velocity Impact Standard
- » Soft, nonslip rubber temple tips for nonbinding fit



Mfr. Model #	Lens	Frame	BSE Part #
S2510ST	Clear lens with anti-fog	Clear	1587731
S2575S	Blue mirror lens	Blue mirror	1249298

NOTES

WORK clothing

FR GloWear® Class 2 Modacrylic Vest

Ergodyne

ASTM F1506-certified modacrylic mesh fabric with hook and loop closure and D-ring access.

- » ANSI-certified modacrylic mesh (5.4 oz.); fabric passes ASTM F1506
- » 3M™ Scotchlite™ FR Reflective Material, 2" Level 2 ANSI-certified
- » One inside pocket and one dual pen pocket
- » ATPV of 5.0 cal/cm²; HRC 1



Mfr. Model #	Color	Size	BSE Part #
8260FRHLSM	Lime	Small/Medium	2447753
8260FRHLLXL	Lime	Large/XL	2447754
8260FRHL2XL3XL	Lime	2XL/3XL	2447755
8260FRHL4XL5XL	Lime	4XL/5XL	2447757

GloWear® Class E Pants

Ergodyne

ANSI-certified polyester mesh.

- » 2" Level 2 ANSI-certified tape (3M Scotchlite) with 4.5" contrasting color, (2) 2" 360° on each leg
- » Drawstring waist, hook and loop leg bottoms



Mfr. Model #	Color	Pant Size	BSE Part #
8910	Lime	Small/Medium	1681120
8910	Lime	Large/XL	1681121

Chain Saw Chaps

Elvex

90 series chain saw chaps use a 420 denier nylon cover material and have two sets of quick connect leg buckles.

- » Meet the requirements of ASTM Standard for Leg Protection for Chain Saw Users (F-1897-2008)



Mfr. Model #	Length	BSE Part #
JE-9036	36" from waist	2874697
JE-9039	39" from waist	2908671

FR High Visibility Rubber Eclipse™ Clothing

Tingley

Revolutionary Quad-Hazard® protection. Offers high visibility, liquid proof, arc flash and flash fire protection. Thermo-Grid® technology helps block out heat energy while the flame resistant PVC coating on Nomex® provides 100% liquid proof protection in a soft, lightweight jacket.

- » Chemical resistance
- » Fluorescent background colors for excellent daytime visibility
- » Non-conductive, non-corrosive hardware
- » Therm-O-Rad sealed seams for 100% liquid proof
- » Zipper/storm fly front with snap closure and hidden hardware
- » Full-vented cape back for improved air circulation
- » 2" silver reflective tape reflects light for 360° nighttime conspicuity
- » ANSI/ISEA 107 Class 3 compliant for flame resistance and high visibility
- » Conforms to ASTM F1891 for Arc Thermal Performance and NFPA 70E



ECLIPSE™

JACKET

- » Oversized 3 piece hood with adjustable hook and loop take-up strap for safe fit
- » Arc rating 8.7 cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
J44122.SM	Yellow green	Small	3207090
J44122.MD	Yellow green	Medium	3207091
J44122.LG	Yellow green	Large	3207092
J44122.XL	Yellow green	XL	3207093
J44122.2X	Yellow green	2XL	3207094
J44122.3X	Yellow green	3XL	3207095
J44122.4X	Yellow green	4XL	3207096
J44122.5X	Yellow green	5XL	3207097
J44129.SM	Orange red	Small	3207098
J44129.MD	Orange red	Medium	3207099
J44129.LG	Orange red	Large	3207100
J44129.XL	Orange red	XL	3207101
J44129.2X	Orange red	2XL	3207102
J44129.3X	Orange red	3XL	3207103
J44129.4X	Orange red	4XL	3207104
J44129.5X	Orange red	5XL	3207105

COAT

- » 48" coat; overhead shoulder design for complete freedom of movement while working overhead
- » Flame resistant corduroy collar with roll-away hood for comfort and convenience
- » Oversized 3 piece hood with adjustable hook and loop take-up strap for safe fit
- » Arc rating 11 cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
C44122.SM	Yellow green	Small	3207122
C44122.MD	Yellow green	Medium	3207123
C44122.LG	Yellow green	Large	3207124
C44122.XL	Yellow green	XL	3207125
C44122.2X	Yellow green	2XL	3207126
C44122.3X	Yellow green	3XL	3207127
C44122.4X	Yellow green	4XL	3207128
C44129.SM	Orange red	Small	3207129
C44129.MD	Orange red	Medium	3207130
C44129.LG	Orange red	Large	3207131
C44129.XL	Orange red	XL	3207132
C44129.2X	Orange red	2XL	3207133
C44129.3X	Orange red	3XL	3207134
C44129.4X	Orange red	4XL	3207135

OVERALLS

- » Self-material suspenders with heavy duty quick release buckles and crossover
- » Snap fly front overalls
- » Average predicted total burn area < 9.5%
- » Fluorescent yellow-green background material for excellent daytime visibility
- » Hook and loop take-up straps on ankle cuffs for adjustable fit
- » Arc rating 11 cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
O44122.SM	Yellow green	Small	3207106
O44122.MD	Yellow green	Medium	3207107
O44122.LG	Yellow green	Large	3207108
O44122.XL	Yellow green	XL	3207109
O44122.2X	Yellow green	2XL	3207110
O44122.3X	Yellow green	3XL	3207111
O44122.4X	Yellow green	4XL	3207112
O44122.5X	Yellow green	5XL	3207113
O44129.SM	Orange red	Small	3207114
O44129.MD	Orange red	Medium	3207115
O44129.LG	Orange red	Large	3207116
O44129.XL	Orange red	XL	3207117
O44129.2X	Orange red	2XL	3207118
O44129.3X	Orange red	3XL	3207119
O44129.4X	Orange red	4XL	3207120
O44129.5X	Orange red	5XL	3207121

FR Denim Dungaree

Carhartt

Made of 11.75-ounce, midweight, flame-resistant denim, 100% cotton.

- » Arc-resistant high-tension snap closure at the waist; brass zipper fly with Nomex® zipper tape; 19" leg openings to fit over work boots; sits below the waist and has a full seat and thigh
- » NFPA 70E and NFPA 2112 compliant
- » 15.2 Cal/cm²
- » HRC: 2



Mfr. Model #	Color	Waist Size	Inseam	BSE Part #
FRB13DNM	Denim	30 – 54" (big available)	30 – 38"	Specify size

FR Duck Work Dungaree

Carhartt

Made of 13-ounce, 100 cotton duck.

- » Brass zipper fly with Nomex® zipper tape; left leg has hammer loop and ruler pocket
- » Nomex® thread bar tacks at vital stress points
- » 16 Cal/cm²
- » HRC: 2



Mfr. Model #	Color	Waist Size	Inseam	BSE Part #
FRB229BRN	Brown	30 – 54"	30 – 36"	Specify size

FR Relaxed-Fit Blue Jeans

Wrangler

Made of 14.75-ounce, 100% cotton heavyweight denim.

- » Nomex® flame-resistant thread
- » 23.8 Cal/cm²
- » HRC: 2



Mfr. Model #	Waist Size	Inseam	BSE Part #
FR31MWZ	28 – 46"	30 – 38"	Specify size

FR All-Season Bomber Jacket

Carhartt

Made of 8.5-ounce canvas, 88% cotton and 12% nylon.

- » Nomex® flame-resistant cuffs and waistband
- » Nomex® zipper tape
- » 6-ounce twill cloth lining
- » 19.2 Cal/cm²
- » HRC: 2



Mfr. Model #	Color	Size	BSE Part #
FRJ020BRN	Brown	Small–4XL (tall available)	Specify size
FRJ020DNY	Dark navy	Small–4XL (tall available)	Specify size

FR Duck Hooded Jacket

Bulwark

Permanently attached hood with adjustable draw cord. Lanyard access opening on center back, accommodates safety harness.

- » Shell is 11.5 oz duck 88% cotton/12% nylon water-repellent
- » Lining is 7 oz. 100% cotton sanded
- » Two front pouch-style pockets with reinforced bartacks
- » 35.0 Cal/cm²
- » HRC 3



Mfr. Model #	Color	Size	BSE Part #
JLH4BD-RG	Duck brown	Small–4XL	Specify size

FR Zip-In Zip-Out Jacket

Bulwark

Made of 9-ounce twill, 100% cotton.

- » Accommodates LML2 zip-in sleeved liner, sold separately, banded waist with button-close tabs
- » Separating, heavy-duty, Nomex® taped, brass zipper
- » 10.6 Cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
JEW2NV-RG	Navy blue	Large–XL	Specify size

Utility SAFETY solutions

FR Traditional Twill Coverall

Carhartt

Made of 9-ounce, 100% cotton.

- » Leg openings fit over boots for easy on and off
- » Spread collar
- » Two chest pockets with flaps
- » Two pass-through pockets
- » Utility pocket
- » 11.2 Cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
101017-033	Gray	34-60 (tall available)	Specify size
101017-250	Khaki	34-60 (short and tall available)	Specify size
101017-410	Dark navy	40-60 (short and tall available)	Specify size

FR Midweight Quilt Lined Bib Overall

Carhartt

Made of 8.5/8.75-ounce, 88% cotton/12% high-tenacity nylon.

- » Ankle-to-thigh leg zippers
- » Chap-style double-front enhances durability
- » Nomex® FR zipper tape and protective flaps with arc-resistant snap closures
- » 33.5 Cal/cm²
- » HRC 3



Mfr. Model #	Color	Size	BSE Part #
101633-001	Black	Medium-4XL (tall available)	Specify size
101633-211	Brown	Medium-4XL (tall available)	Specify size
101633-410	Navy	Medium-4XL (tall available)	Specify size

FR Premium Coverall Excell ComforTouch

Bulwark

Made of 9-ounce twill 88% cotton / 12% nylon.

- » Deep-pleated action back
- » Two-way concealed Nomex® taped brass break-away zipper
- » Concealed snap at top of zipper and at neck with Mandarin style stand-up, two way safety collar and concealed snap closure on sleeve cuff
- » Elastic waist inserts
- » NFPA 70E HRC2 NFPA 2112
- » Slide vent openings with snap closure
- » Two front swing pockets, two patch chest pockets with flaps, and two patch hip pockets, left sleeve pocket
- » 12.2 Cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
CLB6KH	Khaki	38-54 (tall available)	Specify size
CLB6NV	Navy	38-54 (tall available)	Specify size
CLB6RB	Royal blue	38-58 (tall available)	Specify size

FR Deluxe Insulated Bib Overall

Bulwark

Fabric shell is made of 7-ounce, 88% cotton / 12% nylon, water-repellent. Insulation package is 12 oz., 100% modacrylic and lining is 100% cotton.

- » Full Nomex® taped, ankle-to-hip brass zippers with concealed snap closure
- » Elasticized shoulder straps with non-conductive adjustable hardware
- » Reinforced double knees
- » NFPA 2112
- » 57 Cal/cm²
- » HRC 4



Mfr. Model #	Color	Size	BSE Part #
BLN4BD	Brown	Small-4XL (tall available)	Specify size

FR Pullover Hooded Fleece Sweatshirt

Bulwark

Made of 11- ounce, 65% Modacrylic / 23% Nomex® aramid/ 10% Kevlar® aramid/ 2% other fiber.

- » Two-ply hood with drawstring closure
- » Rib knit Nomex® cuffs and waistband
- » Front pocket
- » Arc rating EBT 15.9 cal/cm²
- » HRC 2



Mfr. Model #	Color	Size	BSE Part #
SMH2NV	Navy Blue	Small–3XL (long and tall available)	Specify size

CORE Performance Work Wear® 6435 Long-Sleeve

Ergodyne

Ripped fit: Mock T and stretch fabric for warm comfort.

- » Thermal; base layer; long tail design
- » Medium weight wicking fabrics; anti-stink treatments
- » Reflective accents; 50+ UPF



Mfr. Model #	Color	Size	BSE Part #
6435	Black	Medium–3XL	Specify size
6435	Gray	Medium–3XL	Specify size
6435	Navy	Medium–3XL	Specify size

CORE Performance Work Wear™ 6480 Bottoms

Ergodyne

Thermal, ripped fit: lower body temperature and moisture management.

- » Wicking fabrics and venting for multi-climate comfort
- » Anti-stink treatments help workers remain unscented
- » Soil release treatments make cleaning easy
- » 50+ UPF for protection against harmful UV



Mfr. Model #	Color	Size	BSE Part #
6480	Black	Medium–3XL	Specify size

FOOT protection

Traktion 4-Buckle Overshoe

LaCrosse

Rubber overshoes add grip when walking on ice or in cold weather.

- » Available in sizes 6–16
- » Carbide tipped studs for added traction



Mfr. Model #	Size	BSE Part #
229108-9	9	3200182
229108-10	10	3200175
229108-11	11	3200176
229108-12	12	3200177
229108-13	13	3200178
229108-14	14	3200179
229108-15	15	3200186

Trex Ice Traction

Ergodyne

Used for traction when walking in icy conditions.

- » Contains 2 replacement studs, Flexible to -40°F
- » Rugged steel studs for tenacious grip and stability
- » Stretchable rubber for fit and easy on/off



Mfr. Model #	Shoe Size	BSE Part #
6300M	Medium (5-8)	1721459
6300LG	Large (8-11)	1721465
6300XL	XL (11-14)	1721466

NOTES

LIGHTING

Trident® Headlamp

Streamlight

Three-position lighting—xenon bulb, 1 LED and 3 LEDs

- » 3V/300mA xenon bi-pin bulb and (3) 100,000-hour LEDs 90° tilting head
- » Includes (3) AAA batteries, rubber hard hat strap and adjustable elastic head strap
- » Pushbutton sequences through (1) LED, (3) LEDs, xenon bulb and off
- » Spot-to-flood focus
- » UL/cUL Classified for Class I, Division II; CE Approved
- » Unbreakable polycarbonate lens
- » Water-resistant, lightweight thermoplastic construction



Mfr. Model #	Output	Typical Runtime	Color	LED	BSE Part #
61050	Xenon - 18 lumens typical (3) LEDs - 24 lumens typical (1) LED - 9 lumens typical	Up to 150 hours (single LED)	Yellow	White	1720933

BACK support

ProFlex® 1600 Standard Elastic Back Support

Ergodyne

Standard elastic back support: all elastic 9-inch body for extra firm support.

- » 9" (22.8 cm) premium all-elastic body for extra firm support
- » Contoured high-cut front panel
- » Non-conductive polypropylene stays
- » Rubber track webbing
- » Stretchable bias binding with zig-zag stitching
- » Adjustable, detachable suspenders



Mfr. Model #	Size	BSE Part #
1600	S-4XL	Specify size

SIGNS and CONES

Standard Roll-Up Signs

Dicke

Signs are made of heavy-duty vinyl.

- » Both ends of the vertical brace are permanently attached to the sign panel
- » Both ends of the horizontal brace can be easily separated from the sign panel so that it can be rolled up and stored



Mfr. Model #	Material	Legend	Size	BSE Part #
RUR48-200FFS	Super Bright™ orange	FLAGMAN AHEAD	48"	2727312
RUNR48-200FFS	Non-reflective vinyl	UTILITY WORK AHEAD	48"	2714941

DynaLite™ Non-Spring Stands for Roll-Up Signs

Dicke

DynaLite™ series offers non-spring, lightweight, compact stands designed to display 36" or 48" roll-up signs. Made of powder coated steel and aircraft quality aluminum, these stands are rugged and dependable.

- » MUTCD and NCHRP-350 compliant
- » Full size stands feature telescopic vertical masts and triple flagholders designed to display 36" or 48" roll-up signs
- » Foot operated leg releases quickly lock legs in one of three positions to allow for storage or deployment on uneven terrain



Mfr. Model #	Description	Material	BSE Part #
DL1003W	Screwlock roll-up sign holder	Aluminum 30"-51" legs	1721899

Fire Signs

Brady

Self sticking safety signs to easily and permanently identify fire extinguishers.

FIRE EXTINGUISHER



Mfr. Model #	Size	BSE Part #
85256	3 1/2" x 10"	618505
85257	5" x 14"	618515



Revolution Series Traffic Cones

JBC

The Revolution Series is manufactured using premium grade PVC injection molding technology, resulting in the most durable traffic cones available on the market.



Mfr. Model #	Description	Size	BSE Part #
RS70032S3M6	Slim Line cone with one 6" 3M Reflective Collar	28 x 14" base	1721902

Pole Mount Flag Holder

Chain binder attaches flag holder to transported pole for safer transport.

- » Holder has malleable iron main casting with strong coil spring
- » Flags not included



Mfr. Model #	BSE Part #
ASTT5	1738803

Barricade Tape

Brady

Visual barricading provides fast on-the-spot warning of potential danger.

- » Made of non-adhesive B-912 polyethylene
- » Use for temporary outdoor or permanent indoor applications
- » Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades



Mfr. Model #	Size	Color	Legend	BSE Part #
91450	3" x 200'	Black on yellow background	Caution	1990820

CLEANERS

Boom™ Prewash Wipes

American Polywater

Cleaner-saturated towels that clean grease, tar, creosote, salt spray, hydraulic fluid, pine pitch and road debris off fiberglass boom arms.

- » Meets OSHA live-line standard for hot stick and boom maintenance
- » Does not remove or adversely affect gel coat
- » Prevents build-up over time



Mfr. Model #	Size	BSE Part #
B-1	24" x 24" wipe	165373

S-1™ Hot Stick Cleaner and Water Repellent Wipes

American Polywater

Saturated wipe in sealed foil pouch.

- » Pre-saturated, lint-free wipe
- » Dual action; cleans and applies water repellent
- » Does not remove or adversely affect gloss coat, evaporates quickly
- » No "build-up" over time
- » Designed for one time use and easy disposal
- » Meets IEEE maintenance recommendations



Mfr. Model #	BSE Part #
S-1	165355

W-1 Wax and Buff Wipes

American Polywater

For live-line tool maintenance.

- » Meets OSHA live-line standard for hot stick and boom maintenance
- » Meets IEEE maintenance recommendations - Std. #978
- » Convenient, wax-saturated, lint-free wipe
- » Dual action tandem pack includes dry buffing towel
- » Suitable for rubber and porcelain materials too
- » Does not remove or adversely affect gel coat
- » Leaves non-conductive water repellent coating



Mfr. Model #	BSE Part #
W-1	558605

borderstates.com



A 100% Employee-owned, American Company
40-284 (2015-09)
©2015 Border States Industries, Inc.



BORDER STATES
Supply Chain Solutions™